



Part of MEYRA GROUP

REHABILITATION

VITEA[®]
CARE



**Customers dreams,
safety and convenience
are the determinants
of the quality our
products.
Cooperation
with us guarantees
business success for
every partner.**

We have been offering modern medical solutions in the field of orthopedics and rehabilitation for several years. We are inspired by people, their dreams and needs, they create indicators of the quality of our products. We are proud to create products for people who find it harder to achieve their goals and yet do not give up. Their strength is a drive for our development. We also care about partner relationships and the interests of our clients. Professionalism in every field is a key determinant of our activities. We are at your disposal in the field of comprehensive commercial and consulting services.

MDH Sp. z o.o. Team

Our business activity is visible in many operations such as production, import, export and distribution. We're producer of medical and support footwear, orthopedic articles, the manufacturer of rehabilitation equipment. The company's business consists in the sale of own products, execution of the exclusive agreements for the sale of worldwide known brands in Poland and Europe, active cooperation with several hundred medical stores located in Poland, as well as export of private labels brands to different countries and leading worldwide companies. For the last few years mdh has successfully developed its export sale to Ukraine, Slovenia, Czech Republic, Belarus, Croatia, Romania, Italy, Bosnia & Herzegovina, Bulgaria, Spain, Colombia, Turkey, UAE. Many products owned by our company have been granted patent protection in the European Union, USA, Canada, Japan or South Korea. All our products are manufactured from high quality materials and conform to the required safety standards. Our team of constructors supervises product quality and

constantly develops the products in line with the latest technological achievements and recognised medical expertise supported by research, thanks to which we are able to offer medical equipment, which addresses market demand in terms of its functionality and design, as well as complies with the global trends in medical sector. This is confirmed by the implemented quality management system which conforms to ISO 9001:2015 standard and requirements of EN ISO 13485:2003 standard, that can be used by manufacturers and distributors of medical devices for the design and development, production, distribution and servicing of orthopaedic and rehabilitation devices. Our company's motto is "We set the world in motion", which means we do our best to help patients with movement disorders and we actively commit ourselves to commercial activities addressed to our Customers. Professionalism is a key feature of all our business activities. Constant development of our company is confirmed by many awards.



www.viteacare.com

VITEACARE is a group of products developed for a broadly defined rehabilitation - both functional and social - which are tailored for patients with limited mobility. Thanks to proven quality and constant development of innovative technical solutions, Vitae Care products improve the comfort of everyday activities, allow patients to participate in social life more fully, as well as prevent consequences of immobilization. Vitae Care equipment is helpful at all stages of physical performance recovery. Rehabilitation and auxiliary products line comprises: bedsore prophylaxis and treatment products, wheelchairs of different standards and unfunctionalities, sanitary aids and rehabilitation aids. This brand consists also of the products for children.

REHABILITATION AIDS

Foldable cane.....	10
Tripod cane.....	10
Quadruped cane.....	11
Elbow crutches.....	11
Elbow crutches VCBPOO42 model PU.....	12
Elbow crutches VCBPOO42 model UC.....	12
Armpit crutches.....	13
Wave.....	14
Dual.....	14
Wheeler.....	15
Bola.....	15
Carter.....	16
Tripla.....	16
Alex.....	17
Ambona.....	18
Billy.....	19
Frank.....	19
Rocky.....	20
Rose.....	20
Mobilus Lite.....	21
Edi.....	21

WHEELCHAIR

Basic Plus.....	25
Forte Plus.....	26
Feliz.....	27
Cameleon.....	28
Flexi Light.....	29
Recliner.....	30
Recliner Extra.....	31

PRODUCTS FOR CHILDREN

Umbrella.....	36
Junior.....	37
Junior Plus.....	38
Baczus Relax.....	39
Fun Baby.....	40

POWER WHEELCHAIRS

Limber.....	46
Modern.....	47
Blu.....	48
Orange.....	49
PCBL 1630/1830 Modern.....	50
De Luxe.....	51
De Luxe Lift.....	52
Scrubby.....	53
Cross Smart.....	54
Easy Go.....	55
Multiplus.....	56

W4026 Mini.....	57
Mini III.....	58
Clever Trip.....	59
Rider II.....	60
Cruiser II.....	61
Way.....	62

VERTICALIZING SYSTEM

Samson.....	65
Dawid.....	66
Tytan 2.0.....	67
Kanjo.....	68
PSL PRO.....	69

ANTI-BEDSORE

Rest.....	72
Comfy.....	73
Simply Bubble.....	74
Anti-bedsore mattress.....	75
Bubble Master.....	76
Tube Light.....	78
Anti-bedsore mattress.....	79

REHABILITATION AND CARE BED

Carebed model Smart.....	81
Carebed model Premium.....	82

SANITARY AID

Commode wheelchair.....	86
Trust.....	87
Bath Bench.....	88
Small shower stool.....	89
Shower seat.....	90
Commode chair.....	91
Raised toilet seat.....	92

EXERCISERS AND OTHERS

Genesis.....	94
Genesis Plus.....	94
Back support.....	95



REHABILITATION AIDS



FOLDABLE CANE



catalogue no: **VCBPO022**



PRODUCT CHARACTERISTICS:

- aluminum structure
- folds down into 4 parts
- packed in case
- height adjustment every 2,5 cm
- available in black color

Height (cm)	80 - 90
Weight (kg)	0,35
Maximum capacity (kg)	100

TRIPOD CANE



catalogue no: **VCBPO024**



PRODUCT CHARACTERISTICS:

- made of aluminum (base made of steel)
- three support points finished with non-slip rubber tips
- anatomically profiled handle
- suitable for both left- and right-handed people
- gradual height adjustment every 2.5 cm

Height (cm)	73,5 - 96
Weight (kg)	0,7
Maximum capacity (kg)	100

QUADRUPED CANE



catalogue no: **VCBPOO21**



PRODUCT CHARACTERISTICS:

- made of aluminum (base made of steel)
- four support points finished with non-slip rubber tips
- anatomically profiled handle
- suitable for both left- and right-handed people
- height adjustment every 2.5 cm

Height (cm)	73,5 - 96
Weight (kg)	0,8
Maximum capacity (kg)	100

ELBOW CRUTCHES



catalogue no: **22-00-00-02** - niebieska

catalogue no: **22-00-00-05** - czarna



PRODUCT CHARACTERISTICS:

- made of aluminum
- reflective element
- height adjustment every 2.5 cm
- available in colors: black, blue

Height (cm)	98,5 - 118,5
Weight (kg)	0,56
Maximum capacity (kg)	140

ELBOW CRUTCHES



catalogue no: **VCBPOO42 model PU**



PRODUCT CHARACTERISTICS:

- made of aluminum
- 2-point height adjustment
- available in black color

Height (cm)	86 - 116
Weight (kg)	0,5
Maximum capacity (kg)	100

ELBOW CRUTCHES



catalogue no: **VCBPOO42 model UC**



PRODUCT CHARACTERISTICS:

- made of aluminum
- tiltable grip for an arm
- crutches height and arm handle length adjustments
- available in silver color

Height (cm)	95 - 126
Weight (kg)	0,5
Maximum capacity (kg)	100

ARMPIT CRUTCHES



catalogue no: **VCBPOO41**



PRODUCT CHARACTERISTICS:

- made of aluminum
- armpit and hand parts covered in polyurethane foam, warm to the touch
- packed in pairs
- armrest height and handle height gradual adjustments every 2.5 cm • regulacja skokowa wysokości co 2,5 cm

Size	S	M	L
Height (cm)	93 - 113	113 - 133	133 - 153
Weight (kg)	1,6	1,7	1,8
Maximum capacity (kg)	100	100	100

WAVE

walker H4



catalogue no: **VCBPOO32**



PRODUCT CHARACTERISTICS:

- foldable aluminum frame
- reinforced joints
- construction ensures easy standing up
- legs finished with non-slip rubber tips
- ergonomic handles
- gradual height adjustments every 2.5 cm

Width (cm)	62
Height (cm)	81,5 - 91,5
Weight (kg)	2,5
Maximum capacity (kg)	100

DUAL

2-functional walker



catalogue no: **VCBPOO31**



PRODUCT CHARACTERISTICS:

- foldable aluminum frame
- stable and durable construction
- supports both standing and walking
- walking mode can be easily blocked
- legs finished with non-slip rubber tips
- ergonomic handles
- gradual height adjustments every 2.5 cm

Width (cm)	54
Height (cm)	82 - 99
Weight (kg)	2,5
Maximum capacity (kg)	110

WHEELER

wheeler
walker



catalogue no: VCBPOO32



AVAILABLE
WHILE
STOCKS LAST



PRODUCT CHARACTERISTICS:

- foldable aluminum frame
- additional reinforcements
- rear legs finished with rubber anti-slip tips
- 12 cm diameter front wheels
- ergonomic handles
- gradual height adjustments every 2.5 cm

	KXSS	KXY
Width (cm)	64	64
Height (cm)	80 - 97,5	77 - 98,5
Weight (kg)	2,5	2,5
Maximum capacity (kg)	110	110

BOLA

walker with ball



catalogue no: VCBPOO32



PRODUCT CHARACTERISTICS:

- foldable aluminum frame
- stable and durable construction
- easy folding due to the regulation ball
- 12 cm diameter front wheels
- rear legs finished with non-slip rubber tips
- ergonomic handles
- gradual height adjustment every 2.5 cm

Width (cm)	65
Height (cm)	85 - 92
Weight (kg)	2
Maximum capacity (kg)	110

CARTER

wheeler
walker



catalogue no: **VCBPOO32**



PRODUCT CHARACTERISTICS:

- foldable, aluminium frame
- reinforced joints
- ergonomic handles
- four wheels with a diameter of 8 cm
- lockable rear wheels
- gradual height adjustments every 2.5 cm

Width (cm)	55
Height (cm)	81,5 - 91,5
Weight (kg)	3,7
Maximum capacity (kg)	110

TRIPLA

3-functional
walker



catalogue no: **VCBPOO31**



PRODUCT CHARACTERISTICS:

- foldable aluminum frame
- stable and durable construction
- can be used for walking, standing or as a wheeled walker
- walking mode can be easy blocked
- additional removable front wheels with 12 cm diameter
- ergonomic handles
- gradual height adjustments every 2.5 cm

Width (cm)	60	Weight z kołami (kg)	2,5
Height (cm)	82 - 100	Maximum capacity (kg)	110

ALEX

2-wheel rollator



catalogue no: **VCBK1**



PRODUCT CHARACTERISTICS:

- foldable steel frame
- seat made of PU
- two full wheels and rear rubber tips
- ergonomic handles
- adjustable height

Width (cm)	54	Weight (kg)	5
Height (cm)	80 - 94	Maximum capacity (kg)	100

AMBONA

4-wheel
walker



catalogue no: **VCBK2A**
catalogue no: **VCBK2A_O1**



PRODUCT CHARACTERISTICS:

- steel frame
- soft armrest height adjustment
- handle height and angle adjustment
- rear wheels with brakes
- 3" or 5" rubber wheels upon request
- two variants to choose from: silver with rounded triangular adjustment handles or blue with lever-shaped adjustment handles



	VCBK2A_O1	VCBK2A
Max width of the walker base (mm)	53	52,5
Inner width of the walker base (mm)	46	45,5
Max length with brakes (max extended handles) (mm)	75 - 97	76 - 97
Max height with handles (mm)	97,5 - 137	108 - 148
Cushion measurements W x L x H (mm)	58 x 49 x 5	59 x 49 x 6
Max width of the walker (mm)	58	59
Cushion cut-out measurements (mm)	36 x 28	37 x 29
Handles (mm)	11	11
Handles spacing (mm)	29	31
Walker weight (mm)	11	11
Maximum capacity (kg)	125	125

BILLY

3-wheel rollator



catalogue no: **VCBK5221**



PRODUCT CHARACTERISTICS:

- foldable, aluminum frame (easy to transport)
- lockable brakes
- three 19 cm diameter wheels
- adjustable height
- adjustable rear wheels position
- ergonomic handles
- zippered shopping bag
- front shopping basket with tray

Width (cm)	68
Height (cm)	80 - 93
Weight (kg)	5,3
Maximum capacity (kg)	120

FRANK

4-wheel steel rollator



catalogue no: **VCBPO032**



PRODUCT CHARACTERISTICS:

- steel folding frame
- PU seat
- lockable brakes
- four maintenance-free wheels with 20 cm diameter
- adjustable height
- ergonomic handles
- front shopping basket
- tray fixed to the seat
- cane holder

Width (cm)	60
Height (cm)	79 - 98
Width siedziska (cm)	38
Weight (kg)	10,2
Maximum capacity (kg)	130

ROCKY

4-wheel
aluminium rollator



catalogue no: **VCBK23231**



PRODUCT CHARACTERISTICS:

- foldable aluminum frame (easy to transport)
- soft seat covered with leatherlike
- lockable brakes
- four 20 cm diameter wheels, easily dismantled
- double height adjustment
- ergonomic handles
- shopping bag
- tiltable backrest safety barrier
- cane holder

Width (cm)	59,5
Height of guide handles (cm)	80 - 97
Seat height (cm)	51 - 56
Seat width (cm)	35
Weight (kg)	7,5
Maximum capacity (kg)	120

ROSE

4-wheel
rollator with footrest



catalogue no: **VCBK222T**
with basket



PRODUCT CHARACTERISTICS:

- aluminum folding frame (easy to transport)
- soft seat covered with eco-leather
- lockable brakes
- four maintenance-free 20 cm diameter wheels,
- swivel front wheels
- adjustable height
- ergonomic handles
- shopping basket
- possibility of changing the direction of moving while the rollator is pushed by third person
- footrest

Width (cm)	60
Height of guide handles (cm)	77 - 88
Seat height (cm)	53,5
Seat width (cm)	35
Weight (kg)	8,2
Maximum capacity (kg)	120

MOBILUS LITE

4-wheel
rollator



catalogue no: VCBK222B



PRODUCT CHARACTERISTICS:

- aluminum folding frame (easy to transport)
- soft seat
- lockable brakes
- front wheels with 19 cm diameter, easily folded
- rear wheels with 17 cm diameter
- adjustable height
- ergonomic handles
- shopping bag
- safety belt
- cane holder

Width (cm)	66	Seat width (cm)	45,5
Height of guide handles (cm)	79,5 - 92	Weight (kg)	7,5
Seat height (cm)	68,5	Maximum capacity (kg)	136

EDI

4-wheel
rollator



catalogue no: VCBK223



PRODUCT CHARACTERISTICS:

- foldable steel frame (easy to transport)
- seat made of PU
- lockable brakes
- four maintenance-free wheels with 20 cm diameter
- adjustable height
- ergonomic handles with depth adjustment
- shopping basket
- removable tray attached to the seat
- cane holder

Width (cm)	59	Armrest height (cm)	99 - 121
Length (cm)	73	Weight (kg)	12
Height (cm)	113 - 134	Maximum user weight (kg)	130
Seat height (cm)	60		

INTENDED USE:

Foldable cane, Tripod cane, Quadruiped cane

For people who need support during walking, after lower limbs injuries, for balancing and body weight transferring in traumatic and orthopaedic diseases. Also for elderly people as a body balance support during walking.

Elbow crutches

For persons who need assistance while walking, in order to suspend and move their body weight in case of injuries or orthopaedic disorders, such as fractures, strokes or paresis of lower limb, or while learning to walk.

Armpit crutches

Designed for people who need support during walking, after lower limbs injuries, for better balance, while transferring the body weight in case of traumatic and orthopaedic diseases, after fractures, in case of palsies and paresis.

Wave, Dual, Wheeler, Bola, Carter, Tripla

Walking aid designed for disabled people for those with locomotor disorders. Ideal for rehabilitation process and physiotherapy (verticalisation, lower limb relief).

Alex, Billy, Frank, Rocky, Rose, Mobilus Lite, Edi, Ambona

Rehabilitation supports are an ancillary equipment to facilitate tilting and moving of patients with different types of motor disorders. They can be used as an aid for patients after surgery (lower limbs) who are unable to use crutches, showing no major coordination disorders, patients with mild dysfunction of the lower limbs or weakness. They are used in patients with impaired balance preventing them from independent vertical position and locomotion, as well as various types of circulatory dysfunction (e.g. intermittent claudication). Supports can also be used as an aid for geriatric patients.



WHEELCHAIRS



BASIC PLUS

standard
wheelchair



catalogue no: **VCWK43BP** Basic Plus



PRODUCT CHARACTERISTICS BASIC:

- foldable steel frame (cross construction)
- upholstery made of black nylon
- safety belt
- removable and tiltable footrest
- adjustable length of footrest
- removable armrest
- rear pocket
- calf belt
- full front wheels 200 mm x 45 mm
- full or pneumatic rear wheels 24" with quick release system

Size	16"	18"	20"
Seat width (cm)	40	45	51
Seat depth (cm)	40	40	40
Wheelchair height (cm)	91	91	91
Wheelchair width (cm)	58	63	68
Wheelchair lenght (cm)	110	110	110
Width of folded wheelchair (cm)	28	28	28
Wheelchair weight (kg)	18,5	19	20
Maximum capacity (kg)	120	120	120

FORTE PLUS

standard
wheelchair



catalogue no: **VCWK42L**



PRODUCT CHARACTERISTICS:

- foldable steel frame (double cross construction)
- upholstery made of black nylon
- soft cushion
- safety belt
- tiltable armrest
- removable and tiltable footrest with adjustable length
- steel brakes with pressure adjustment
- rear pocket
- calf belt
- full front wheels 200 mm x 45 mm
- full rear wheels 24" with quick release system
- steel handrims

Size	16"	18"	20"
Seat width (cm)	43	45	51,5
Seat depth (cm)	42	42	42
Wheelchair height (cm)	96	96	96
Wheelchair width (cm)	62	64,5	71,5
Wheelchair lenght (cm)	110,5	110,5	110,5
Width of folded wheelchair (cm)	30	30	30
Wheelchair weight (kg)	17	18	19
Maximum capacity (kg)	120	120	120

FELIZ

aluminum
wheelchair



catalogue no: **VCWK9AL**



PRODUCT CHARACTERISTICS:

- foldable, lightweight, aluminium frame of cross structure (double cross)
- soft nylon seat and backrest
- soft foam cushion
- removable and tiltable footrest with adjustable length
- footrest straps to secure the feet
- removable and tiltable armrest
- anti-fall lap belt
- maintenance-free front wheels 200 mm x 50 mm
- 24" pneumatic rear wheels with quick release system
- aluminum handrims
- double breaking system (for the patient and for the caregiver)
- anti-tipping wheels

Size	16"	18"	20"
Seat width (cm)	40	45	50
Seat depth (cm)	40	40	40
Wheelchair height (cm)	93	93	93
Wheelchair width (cm)	58	63	68
Wheelchair lenght (cm)	110	110	110
Width of folded wheelchair (cm)	33	33	33
Wheelchair weight (kg)	16	16	16
Maximum capacity (kg)	140	140	140

CAMELEON

aluminum wheelchair



catalogue no: **VCWK9AC**



PRODUCT CHARACTERISTICS:

- foldable, lightweight aluminium frame (double cross)
- removable upholstery made of sweat absorbing material, red and black or blue and black colors available
- backrest based on Velcro tapes to adjust the tension intensity
- possible adjustment of the front and rear wheels
- anti-bedsore cushion
- tiltable armrests
- removable and tiltable footrest
- calf belt
- double breaking system (for the patient and for the caregiver)
- anti-fall belt
- 24" rear wheels with quick release system
- front full wheels, size 200 mm x 50 mm
- rear pocket
- anti-tipping wheels

Size	16"	18"	20"
Seat width (cm)	40	45	50
Seat depth (cm)	40,5	40,5	40,5
Wheelchair height (cm)	96	96	96
Wheelchair width (cm)	59	64	70
Wheelchair length (cm)	101,5	101,5	101,5
Width of folded wheelchair (cm)	37	37	37
Wheelchair weight (kg)	16	16	16
Maximum capacity (kg)	125	125	125

FELXI LIGHT

aluminium
wheelchair



catalogue number: VCWK9AFL



PRODUCT CHARACTERISTICS:

- foldable, lightweight aluminum cross frame
- upholstery made of sponge trimmed with black nylon
- adjustable seat depth
- cushion
- removeable armrests
- side panel with wheel arch
- removable and swing away footrests
- shank length adjustment
- seat height adjustment
- backrest height adjustment
- solid front wheels, size 6"
- pneumatic rear wheels equipped with a quick release system, size 24x1"
- possibility of shifting the center of gravity by adjusting the rear wheels
- aluminum handrim
- pressure brakes, foldable brake lever
- anti-tip wheels
- available in two colors

Size	15"	16"	17"	18"
Seat width (cm)	38	40	43	46
Seat depth (cm)	42	42	42	42
Wheelchair height (cm)	81 - 97	81 - 97	81 - 97	81 - 97
Wheelchair width (cm)	55	58	60,5	63
Wheelchair length (cm)	93	93	93	93
Width of folded wheelchair (cm)	30	30	30	30
Wheelchair weight (kg)	~12	~12	~12	~12
Maximum capacity (kg)	114	114	114	114

RECLINER

special wheelchair
stabilizing back and head



catalogue no: **VCWK703**



PRODUCT CHARACTERISTICS:

- aluminum frame of cross structure (double cross)
- adjustable seating with the possibility of lying or sitting position
- seat made of black nylon with high and soft cushion
- anti-fall belt
- removable and tiltable footrest with calf belt
- removable armrests
- removable upper part of the backrest
- anti-tipping rear wheels
- full front wheels, size 200 mm x 50 mm
- 24" pneumatic rear wheels with quick release system
- aluminum handrims
- roller brake operated by the patient
- tray

Seat width (cm)	41	46
Wheelchair width (cm)	70,5	70
Seat depth (cm)	46	46
Wheelchair height (cm)	122	122
Wheelchair height with the upper part of the backrest (cm)	87	87
Backrest height (cm)	40	40
Wheelchair length (cm)	130-175	130-175
Weight (kg)	23	23
Maximum capacity (kg)	100	100

RECLINER EXTRA

special wheelchair
stabilizing back and head



catalogue no: **VCWK702**



PRODUCT CHARACTERISTICS:

- aluminum frame of cross structure
- adjustable seating with the possibility of lying or sitting position
- seat made of black nylon with high and soft cushion
- anti-fall belt
- removable and tiltable footrest with adjustable tilt angle, length and lower leg support
- removable armrests
- removable upper part of the wheelchair
- rear anti-tipping wheels with adjustable height
- 24" pneumatic rear wheels with quick release system
- 8" front full wheels
- aluminum handrims
- double braking system (for the patient and for the caregiver) provided with lockable brakes
- rear handlebar to stabilize the wheelchair
- air pump

Seat width (cm)	46
Seat depth (cm)	45
Wheelchair height (cm)	133,5
Wheelchair width (cm)	68,5
Wheelchair height without the upper part of the backrest (cm)	120
Width of folded wheelchair (cm)	36
Weight (kg)	27
Maximum capacity (kg)	120

INTENDED USE:**Basic Plus, Forte Plus, Feliz, Cameleon, Felxi Light, Recliner, Recliner Extra**

The wheelchair is used in order to commute by people with disabilities e.g. after the spinal cord damages, cerebral palsy or various lower limb injuries, neuromuscular diseases, post-traumatic cranial cerebral or for geriatric patients.

It is also intended for people who want to actively and comfortably participate in everyday life.



PRODUCTS FOR CHILDREN



UMBRELLA

children rehabilitative stroller



catalogue no: **DRVGOC**



PRODUCT CHARACTERISTICS:

- foldable, aluminum frame with reinforced steel elements
- upholstery made of high quality fabric attested by certificates of quality (OEKO-Tex, SGS)
- smoothly adjustable backrest tilt angle
- front wheels and rear wheels made of PU
- lockable front wheels
- front wheels attached via quick release system with independent brakes
- abduction wedge, front safety barrier covered with fabric and 5-point belt
- side supports and lumbar roller
- plastic footrest platform with gradual height adjustment (every 2.5 cm)
- footrest adjustable tilt angle with feet stabilizing straps
- headrest with height adjustment
- parent window in the canopy
- swivel handles with adjustable height
- standard equipment: canopy, shopping basket, cup holder, rain cover, sleeping cover
- optional equipment: umbrella, tray
- available in wide range of colors
- available in 3 sizes: 1, 2 and 3

	size 1	size 2	size 3
Seat width(cm)	30	36	40
Seat depth(cm)	25	30-34	40 - 45
Backrest height (cm)	50	62	75
Max stroller width (cm)	55	59	63
Max stroller length (cm)	88	115 - 120	105
Max stroller height (cm)	114	116	126
Dimensions when folded (lengthx width x height)	119 x 37 x 44	122 x 53 x 42	128 x 44 x 50
Front wheel diameter (cm)	18	18	17
Rear wheel diameter (cm)	22	22	25
Stroller weight (kg)	13,5	15	19
Max child weight (kg)	30	45	75
Max child height (cm)	120	150	170

COLORS



grey and sky blue



grey and peppermint



grey and red



black and grey



black and white
checkered



black with color dots

JUNIOR

children rehabilitative stroller



catalogue no: **DRVGOE**



PRODUCT CHARACTERISTICS:

- foldable, steel-aluminum frame
- upholstery made of high quality fabric attested by certificates of quality (OEKO-Tex, SGS)
- adjustable backrest height and width resulting in wide range of possible positions, from sitting to lying
- seat with adjustable width and depth
- seat can be mounted front-facing or back-facing according to the direction of movement
- footrest adjustable length and tilt angle
- adjustable handle
- swivel front wheels attached via quick release
- rear wheels with shock absorbers made of PU attached via quick release
- headrest height adjustment
- front safety barrier covered with fabric
- belts protecting the child from falling out
- abduction wedge position adjustment
- standard equipment: canopy, shopping basket, rain cover, sleeping cover
- available in wide range of colors

Footrest height (cm)	24 - 33	Max stroller height (cm)	117
Seat width(cm)	25 - 30	Dimensions when folded (cm)	110 x 66 x 65
Seat depth (cm)	27 - 34	Front wheels diameter	22
Backrest height (cm)	47 - 52,5	Rear wheels diameter	27
Range of backrest angle (cm)	105° - 145°	Stroller weight (kg)	21 - 22
Max stroller width (cm)	66	Max child weight (kg)	30
Max stroller length(cm)	120	Max child height (cm)	125

JUNIOR PLUS

children
rehabilitative stroller



catalogue no: **DRVGOJ**



PRODUCT CHARACTERISTICS:

- foldable, steel-aluminum frame
- upholstery made of high quality fabric attested by certificates of quality (OEKO-Tex, SGS)
- adjustable backrest height and width resulting in wide range of possible positions, from sitting to lying
- seat with adjustable width and depth
- seat can be mounted front-facing or back-facing according to the direction of movement
- seat and backrest tilt angle adjustment
- armrest with adjustable height
- footrest length and tilt angle adjustment
- adjustable handle
- swivel front wheels attached via quick release
- rear wheels with shock absorbers made of PU attached via quick release
- height adjustable headrest
- front safety barrier covered with fabric
- belts protecting the child from falling out
- abduction wedge position adjustment
- standard equipment: canopy, shopping basket, rain cover, sleeping cover
- available in wide range of colors

	size 2	size 3
Seat width(cm)	26 - 37	32 - 43
Seat depth(cm)	29 - 35	34 - 40
Backrest height (cm)	50 - 55	60 - 70
Max stroller width (cm)	60	61
Max stroller length (cm)	100	105
Max stroller height (cm)	116	120
Dimensions when folded (lengthx width x height)	103 x 60 x 78	105 x 61 x 76
Front wheel diameter (cm)	22,5	20
Rear wheel diameter (cm)	28	24,5
Stroller weight (kg)	19,5	21
Max child weight (kg)	40	75
Max child height (cm)	130	165

COLORS



Black and Blue



Black and Green



Black and Red



Black and Gray



Black and White
checkered



Black with Color dots

BACZUŚ RELAX

Children rehabilitative stroller
for all accessories of the stroller



catalogue no: **VCWR211R**



PRODUCT CHARACTERISTICS:

- foldable aluminum frame of (cross structure)
- removable, easy to wash nylon upholstery
- removable seat and backrest
- backrest tilt angle adjustment
- headrest height and angle adjustment
- removable side supports
- abduction wedge depth adjustment
- footrest height adjustment, lower leg pads
- side stabilizing supports
- liftable armrests with tilt angle adjustment
- 5-point belt preventing falling out
- front wheels height axis adjustment
- roller brakes with adjustable pressure intensity
- aluminium handrims
- 6" full front wheels
- height adjustable anti-tipping rear wheels
- 20" pneumatic rear wheels with quick release
- air pump
- tray
- frame color: red, blue

Seat width (cm)	33	38
Seat depth (cm)	34	36
Wheelchair height (cm)	97,5	97,5
Wheelchair width (cm)	54,5	64,6
Wheelchair length (cm)	87,5	87,5
Weight (kg)	22,8	22,8
Maximum capacity (kg)	90	90

FUN BABY

children rehabilitative car seat



catalogue no: **DRVROB** / model: **G406**



PRODUCT CHARACTERISTICS:

- height adjustable headrest
- height adjustable backrest (adapted to the child's changing height)
- pelvic stabilizing side supports
- side supports for stabilizing the trunk
- wedge
- 5 point adjustable safety seat belts
- adapted to ISOFIX system
- can be mounted in cars not equipped with ISOFIX connectors (3-point seat belt required)
- the possibility to change the direction of the seating, normally, according to the direction of travel
- easy to put and remove child thanks to the rotary plate - 360° rotation
- adjustable seat unit reclining (cradle)
- removable upholstery
- additional insert for small children
- upholstery made of breathable spacer fabric
- available in two colors: red-black and graphite-black
- optional equipment: table, front seat protector and organizer, protective pad for the car seat under the seat

AVAILABLE
WHILE
STOCKS LAST

Max child weight (kg)	36
Max child height (cm)	55 - 140
Maximum inner width of the seat (cm)	35
Maximum inner depth of the seat (cm)	35
Overall seat width (cm)	50
Height of headrest (cm)	19
Seat height with base (cm)	62 - 80
Seat weight (kg)	11,6

INTENDED USE:**Umbrella, Junior, Junior Plus,**

The stroller is designed for children with disabilities and / or dysfunctions movement activities as a result of damage of the CNS Central Nervous System. It can be used in children with CP Cerebral Palsy, myelomeningocele, muscle disorders, dysfunctions of the lower limbs.

Baczus Relax

Strolling wheelchair designed for children with cerebral palsy, spina bifida, muscular diseases, lower limbs injuries. Reclining backrest and a small table improve comfort of a user and caregiver. Construction of a wheelchair enables easy driving, driving through the high obstacles or kerbs.

Fun Baby

The rehabilitation children car seat "Fun Baby" is designed for the transport of children with special needs in vehicles. The child seat is suitable for kids from birth up to 36 kg body weight.

The clinical indications include:

- cerebral palsy
- hypotony syndrome of unspecific genesis
- muscular dystrophy

The car seat is characterized by its design, which provide for additional seating safety, tabilization of head and pelvis.



POWER WHEELCHAIRS

 **MDH**[®]
Part of MEYRA GROUP



LIMBER

power wheelchair



catalogue no: **W1018**



PRODUCT CHARACTERISTICS:

- seat width: 16" and 18"
- amortized frame (rear frame with shock absorption)
- removable and breathable grey upholstery and seat cushion
- tiltable and adjustable backrest
- removable and adjustable armrest
- tiltable joystick position
- removable and tiltable footrest
- adjustable length of the lower leg support
- complete LED road safety lights
- electromagnetic brake
- controller: VS/PG50A
- adjustable anti-tipping rear wheels
- front wheels: 9"
- rear wheels: 14"
- clearance: 8 cm
- weight without batteries 49 kg

Maximum speed (km/h)	9	Wheelchair weight with/without the batteries (kg)	70/49
Seat width measured on the upholstery (cm)	40/45	Wheelchair height during transport (cm)	67
Seat width measured between the sides (cm)	44/49	Front wheels	9"
Seat depth measured on the upholstery (cm)	45	Rear wheels	14"
Backrest height (cm)	45	Max obstacle to overcome (cm)	9
Total wheelchair height (cm)	102	Turning radius (cm)	96
Lower leg support length: min/max (cm)	39/46	Range* (km)	25
Armrest height measured from the seat upholstery (cm)	18 - 28	Maximum capacity (kg)	do 120
Seat cushion height (cm)	5	Batteries (Ah)	2 x 38
Front height of the seat (with the cushion) (cm)	49	Motor (W)	2 x 300
Total wheelchair width (cm)	60/65	Backrest angle adjustment range	40°
Total length of the wheelchair with footrests (cm)	108		

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

MODERN

power wheelchair



catalogue no: **PCBL 1600/1800**



PRODUCT CHARACTERISTICS:

- seat width: 16" and 18"
- modern aluminium structure
- foldable backrest
- seat and backrest depth and tilt angle adjustment
- removable upholstery
- soft foam cushion
- anti-fall belt
- removable and tiltable footrest
- footrest and armrest height adjustment
- smart electromagnetic braking system
- pantograph and tiltable joystick position (optional)
- control unit mounted on the right or left side upon request
- caregiver control unit mounted on the right or left side upon request (optional)
- electric motor on/off feature
- complete LED lights
- pneumatic wheels (9" front, 14" rear)
- foldable anti-tipping rear wheels with shock absorption
- aluminium rims
- easily removable batteries
- available options: footrest angle adjustment, crutch holder
- headrest (optional)

Maximum speed (km/h)	12	Wheelchair weight with/without the batteries (kg)	83/60
Seat width measured on the upholstery (cm)	40/45	Wheelchair height during transport (cm)	80
Seat width measured between the sides (cm)	48/53	Front wheels	9"
Seat depth measured on the upholstery (cm)	46	Rear wheels	14"
Backrest height (cm)	52	Max obstacle to overcome (cm)	9
Total wheelchair height (cm)	104	Turning radius (cm)	96
Lower leg support length: min/max (cm)	43/48	Range* (km)	25
Armrest height measured from the seat upholstery (cm)	22 - 27	Maximum capacity (kg)	do 136
Seat cushion height (cm)	5	Batteries (Ah)	2 x 50
Front height of the seat (with the cushion) (cm)	52	Motor (W)	2 x 300
Total wheelchair width (cm)	59,5/64,5	Backrest angle adjustment range	40°
Total length of the wheelchair with footrests (cm)	115		

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

BLU

STAR power wheelchair



catalogue number: **DRVION**



PRODUCT CHARACTERISTICS:

- seat width: 16", 18"
- shock-absorbing frame
- adjustable seat depth and width (430-480 mm)
- manually adjustable seat angle 0-15°
- manually adjustable backrest angle 90°-130°
- soft and breathable upholstery
- adjustable height and width of armrests
- removable and swivelling footrests
- footrests adjustable length
- front lighting
- disconnection of electric drive
- control unit can be switched from right to left
- horizontal adjustment and tilting of the control unit
- anti-tip wheels
- aluminium rims
- handles for the caregiver

Max speed (km/h)	10	Weight of wheelchair with/without batteries (kg)	106,5/76,5
Seat width (cm)	43-48	Height of wheelchair for transport (cm)	85
Seat depth (cm)	43-48	Front wheel size	9"
Backrest height (cm)	52	Rear wheel size	14"
Total height of the wheelchair (cm)	121,5	Max obstacle to be overcome safely (cm)	4,5
Height of armrest from seat (cm)	17-29	Turning radius (cm)	90
Seat cushion thickness (cm)	7,5	Range* (km)	30
Height of seat with cushion from ground (cm)	54	Max User weight (kg)	up to 136
Total width of the wheelchair (cm)	58	Batteries (Ah)	52 (Gel)
Overall length of wheelchair with footrests (cm)	182	Motor (W)	2 x 340

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

ORANGE

STAR power wheelchair



catalogue number: **DRVION**



PRODUCT CHARACTERISTICS:

- seat width: 16", 18"
- shock-absorbing frame
- adjustable seat depth and width (430-480 mm)
- electrically adjustable seat angle 0-20°
- Electrically adjustable backrest angle 90°-140°
- safety belt
- soft and breathable upholstery
- adjustable height and width of armrests
- removable footrests with calf support (Flexion angle adjustment)
- adjustable footrest length
- full illumination
- disconnection of electric drive
- control unit can be switched from right to left
- horizontal adjustment and tilting of the control unit
- anti-tip wheels
- aluminium rims
- adjustable headrest
- handles for the caregiver

Max speed (km/h)	10	Weight of wheelchair with/without batteries (kg)	106,5/76,5
Seat width (cm)	43-48	Height of wheelchair for transport (cm)	85
Seat depth (cm)	43-48	Front wheel size	9"
Backrest height (cm)	52	Rear wheel size	14"
Total height of the wheelchair (cm)	121,5	Max obstacle to be overcome safely (cm)	4,5
Height of armrest from seat (cm)	17-29	Turning radius (cm)	90
Seat cushion thickness (cm)	7,5	Range* (km)	30
Height of seat with cushion from ground (cm)	54	Max User weight (kg)	up to 136
Total width of the wheelchair (cm)	58	Batteries (Ah)	52 (Gel)
Overall length of wheelchair with footrests (cm)	182	Motor (W)	2 x 340

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

PCBL 1630/1830 MODERN

power
wheelchair



catalogue number: **PCBL 1630/1830**



PRODUCT CHARACTERISTICS:

- seat width: 16" and 18"
- modern aluminium structure
- foldable backrest
- electric adjustment of the backrest angle (reclining)
- electric adjustment of seat angle (tilting of seat unit)
- headrest adjustment in three planes
- removable upholstery
- soft foam cushion
- safety belt
- removable and swing away footrest
- footplatforms and armrest height adjustment
- smart electromagnetic braking system
- pantograph and tiltable joystick position (optional)
- control unit mounted on the right or left side upon request
- caregiver control unit mounted on the right or left side upon request (optional)
- electric motor on/off feature
- complete LED lights
- pneumatic wheels (9" front, 14" rear)
- foldable anti-tipping rear wheels with shock absorption
- aluminium rims
- easily removable batteries
- additional options: footrest angle adjustment, ability to relocate the control unit for the caregiver

INTENDED USE:

A powered wheelchair electric is a quality of life device designed to ensure mobility.

Maximum speed (km/h)	12	Front wheels	9"
Seat width (cm)	43/48	Rear wheels	14"
Height of backrest (cm)	56	Turning radius (cm)	96
Maximum height with headrest (cm)	138	Range* (km)	30
Seat hight from ground (cm)	58	Maximum capacity (kg)	136 kg
Wheelchair width (cm)	60	Batteries (Ah)	50
Wheelchair length (cm)	108	Motor (W)	450

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

DE LUXE

power wheelchair



catalogue no: **PCBL 1610/1810**



PRODUCT CHARACTERISTICS:

- seat width: 16" and 18"
- aluminium frame
- seat depth and width adjustment
- electrical adjustment of the seat tilt angle
- electrical adjustment of the backrest tilt angle
- soft foam cushion
- height adjustable armrest
- anti-fall belt
- removable and tiltable footrest with height adjustment
- footrest length adjustment
- independent electrical footrest adjustment
- complete road safety lights (LED bulbs)
- electromagnetic brake
- multifunctional control unit
- control unit mounted on the right or left side upon request
- caregiver control unit mounted on the right or left side upon request
- headrest adjustable in horizontal and vertical axes
- set of mudguards
- pantograph
- pneumatic wheels (9" front, 14" rear)
- aluminium rims
- foldable anti-tipping rear wheels

Maximum speed (km/h)	10	Wheelchair weight with/without the batteries (kg)	119/90
Seat width measured on the upholstery (cm)	40/45	Wheelchair height during transport (cm)	80
Seat width measured between the sides (cm)	43/48	Front wheels	9"
Seat depth measured on the upholstery (cm)	46	Rear wheels	14"
Backrest height (cm)	52	Turning radius (cm)	9
Total wheelchair height (cm)	125	Range* (km)	96
Lower leg support length: min/max (cm)	43,5 - 59	Maximum capacity (kg)	20
Armrest height measured from the seat upholstery (cm)	22 - 27	Batteries (Ah)	do 136
Seat cushion height (cm)	5	Motor (W)	2 x 50
Front height of the seat (with the cushion) (cm)	54	Backrest angle adjustment range	2 x 300
Total wheelchair width (cm)	59/64	Zakres regulacji kąta oparcia (stopnie)	45°
Total length of the wheelchair with footrests (cm)	104		

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

DE LUXE LIFT

power wheelchair



catalogue no: **PCBL 1620/1820**



PRODUCT CHARACTERISTICS:

- aluminium frame
- wheelchair designed for home- and terrain-use with double shock absorbing system
- speed 10 km/h
- seat depth and width adjustment
- electrical adjustment of the seat and backrest angle
- removable and tiltable footrest with electrically adjustable tilt angle
- electrically adjustable seat height up to 30 cm (elevator)
- seat cushion
- lights
- foldable anti-tipping wheels
- height adjustable armrest
- headrest with adjustable position
- lap safety belt



**AVAILABLE
WHILE
STOCKS LAST**

Maximum speed (km/h)	10	Wheelchair weight with/without the batteries (kg)	119/90
Seat width measured on the upholstery (cm)	40/45	Wheelchair height during transport (cm)	80
Seat width measured between the sides (cm)	47 - 53	Front wheels	9"
Seat depth measured on the upholstery (cm)	47	Rear wheels	14"
Backrest height (cm)	57	Max obstacle to overcome (cm)	9
Total wheelchair height (cm)	110 - 140	Turning radius (cm)	140
Lower leg support length (cm)	43,5 - 59	Range* (km)	25
Armrest height measured from the seat upholstery (cm)	24	Maximum capacity (kg)	do 160
Seat cushion height (cm)	6	Batteries (Ah)	2 x 75
Front height of the seat (with the cushion) (cm)	49	Motor (W)	2 x 450
Total wheelchair width (cm)	64	Backrest angle adjustment range	25°
Total length of the wheelchair with footrests (cm)	124/119	Seat angle adjustment range	45°

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

SCRUBBY

aluminum children's power wheelchair



catalogue no: **PCBL 1220/1420**



PRODUCT CHARACTERISTICS:

- amortized, aluminum frame
- seat width: 12" and 14"
- adjustable seat depth and width
- electrically adjustable seat angle 10° (max 18 cm)
- foldable backrest with tilt angle adjustment
- seat belt preventing falling out
- soft foam cushion
- headrest adjustment
- height adjustable armrest
- removable footrest with lower leg support (adjustable tilt angle)
- footrest length adjustment
- road safety lights (LED bulbs)
- electric motor on/off feature
- control unit mounted on the right or left side upon request
- caregiver control unit mounted on the right or left side upon request
- control unit horizontal axis adjustment
- aluminium rims
- foldable anti-tipping rear wheels

Maximum speed (km/h)	12	Wheelchair weight with/without the batteries (kg)	102/73,5
Seat width measured on the upholstery (cm)	30/35	Wheelchair height during transport (cm)	72
Seat width measured between the sides (cm)	41	Front wheels	9"
Seat depth measured on the upholstery (cm)	41,5	Rear wheels	14"
Backrest height (cm)	42	Maximum obstacle height (cm)	9
Total wheelchair height (cm)	115	Turning radius (cm)	95
Lower leg support length (cm)	25,5/34,5	Range* (km)	25
Armrest height measured from the seat upholstery (cm)	11 - 14,5	Maximum capacity (kg)	do 80
Seat cushion height (cm)	5	Batteries (Ah)	2 x 50
Front height of the seat (with the cushion) (cm)	45/49	Motor (W)	2 x 300
Total wheelchair width (cm)	56	Seat angle adjustment range	25°
Total length of the wheelchair with footrests (cm)	88/72	Backrest angle adjustment range	40°

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

CROSS SMART

W459 Power Wheelchair



catalogue number: **DRVKOP** model: **CROSS SMART**



PRODUCT CHARACTERISTICS:

- foldable frame of cross structure (easy to transport)
- foldable backrest
- seat width: 430 mm
- shock absorbing system front wheels
- 50 mm thick foam cushion trimmed with soft, breathable fabric
- lifted armrest
- control unit mounted on the right or left side upon request
- removable footrest with lower leg support (adjustable tilt angle)
- removable and tiltable footrest
- footrest adjustable length
- anti-fall belt
- 8" full front wheels, 12" pneumatic rear wheels
- versions available:
 - standard
 - remote controller
 - caregiver control unit



Maximum speed* (km/h)	6	Front wheels	8" PU
Seat width (cm)	43	Rear wheels	12" pneumatic
Height of backrest (cm)	44	Range* (km)	20
Maximum wheelchair height with backrest (cm)	94	Maximum capacity (kg)	120
Seat height from ground (cm)	54	Batteries (Ah)	20 Ah (24V)
Wheelchair width (cm)	66	Motor (W)	2x250 W
Wheelchair length (mm)	110	Other features	electromagnetic brake

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

EASY GO

W459 Power Wheelchair



catalogue number: **DRVKOP** model: **EASY GO**



PRODUCT CHARACTERISTICS:

- aluminum frame folded into scissors position (easy to transport)
- seat width: 430 mm
- 50 mm thick foam cushion trimmrd with soft, breathable fabric
- lifted armrest
- control unit mounted on the right or left side upon request
- foldable footrest platform
- anti-fall belt
- anti-tipping wheels
- 8" full front wheels, 12" pneumatic rear wheels
- versions available:
 - standard
 - remote controller
 - caregiver control unit



Maximum speed* (km/h)	6	Front wheels	8" PU
Seat width (cm)	43	Rear wheels	12" pneumatic
Height of backrest (cm)	50	Range* (km)	20
Maximum wheelchair height with backrest (cm)	96	Maximum capacity (kg)	120
Seat hight from ground (cm)	50	Batteries (Ah)	20 Ah (24V)
Wheelchair width (cm)	60	Motor (W)	2x250 W
Wheelchair length (mm)	98	Other features	electromagnetic brake

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

MULTIPLUS

power wheelchair



catalogue no: **DRVIOM**



PRODUCT CHARACTERISTICS:

- combines several functions: electric wheelchair, electric rollator,
- manual rollator, transport rollator
- aluminium frame with cross-brace
- two control modules (with display) depending on the function used
- soft seat
- swing away footrests equipped with heel pads
- possibility of step adjustment of shank length
- lifted armrests
- height adjustable handles
- back support while seated (with the possibility of flipping)
- safety belt
- manual and electromagnetic brakes
- 4 wheels with a diameter of 8" (swivel front wheels)
- shopping bag
- two colors available: champagne, graphite



Maximum speed (km/h)	6	Front wheels	8"
Seat width (cm)	42,5	Rear wheels	8"
Seat depth (cm)	40	Range* (km)	do 10
Seat height (cm)	52,5	Maximum capacity (kg)	100
Wheelchair height (cm)	81,3 - 90	Wheelchair weight (kg)	18,8
Wheelchair width (cm)	64,2	Batteries (Ah)	5
Wheelchair total length with legrests (cm)	105	Motor (W)	2 x 250
Dimensions when folded (LxWxH) (cm)	71,7x33,4x81,3		

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

W4026 MINI

power wheelchair



catalogue no: **W4026**



PRODUCT CHARACTERISTICS:

- scooter-type road wheelchair
- easy to use, simple and intuitive control panel
- innovative design
- easy battery disassembly
- possibility of charging the batteries after removing them from the wheelchair
- easy folding of the wheelchair without the need for keys
- road safety lights
- bumpers
- wheels: 9", aluminum rims
- seat height adjustment
- rotary and lockable chair
- tiltable armrests
- steering column tilt angle adjustment
- shopping basket mounted on the steering column

Maximum speed (km/h)	41	Wheelchair height during transport (cm)	54
Seat width measured on the upholstery (cm)	41-51	Front wheels	9"
Seat width measured between the sides (cm)	39	Rear wheels	9"
Seat depth measured on the upholstery (cm)	37	Ground clearance (cm)	5
Backrest height (cm)	102	Turning radius (cm)	165
Total wheelchair height (cm)	17	Range* (km)	18
Armrest height measured from the seat upholstery (cm)	39	Maximum capacity (kg)	120
Seat height (cm)	51	Batteries (Ah)	2x20
Total wheelchair width (cm)	110	Motor (W)	200
Wheelchair weight with/without the batteries (kg)	63/49		

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

MINI III

power wheelchair



catalogue number: **DRV100**



PRODUCT CHARACTERISTICS:

- modular design – the frame can be dismantled for easy transport
- easy operation, intuitive control panel
- „delta” steering wheel
- easy folding of the wheelchair for transport without the use of tools
- removable battery pack with the option of charging them outside the wheelchair
- modern design
- swivel seat, with folding backrest
- adjustable steering wheel angle
- set of rear-view mirrors
- shopping basket
- LED road lighting
- electromagnetic brakes
- a clutch disconnecting electric drive
- front and rear bumper
- front wheel: 8"
- rear wheel: 8"
- shock-absorbing frame

Max speed (km/h)	8	Weight of wheelchair with/without batteries (kg)	53/44
Seat width (cm)	43,5	Height of wheelchair for transport (cm)	35
Seat width between armrests (cm)	42-62	Front wheels	8"
Seat depth (cm)	410	Rear wheels	8"
Backrest height (cm)	37	Clearance (cm)	7
Overall height (cm)	92	Turning radius (cm)	130
Height of armrest from seat upholstery (cm)	20-26	Range* (km)	15
Seat height (cm)	57	User weight (kg)	136
Overall width (cm)	54-70	Batteries (Ah)	15
Overall length (cm)	113	Motor (W)	270

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

CLEVER TRIP

power wheelchair



catalogue number: **DRVIOP**



PRODUCT CHARACTERISTICS:

- modular design – the frame can be dismantled for easy transport
- modern design
- detachable battery pack with off-board recharging capability
- swivel seat, horizontally adjustable
- backrest angle adjustment
- smoothly adjustable steering wheel angle
- set of rear-view mirrors
- shopping basket
- headrest
- full road lighting
- electromagnetic brakes
- coupling for disengaging the electric drive
- front and rear bumper
- front wheels: 10"
- rear wheels: 10"
- shock-absorbing frame

INTENDED USE:

The product is intended for disabled people with musculoskeletal conditions to increase their mobility.

MANUFACTURER:

mdh sp. z o.o. , ul. Maratońska 104, 94-107 Łódź, tel. +48 42 676 32 54,
mdh.rehabilitacja@meyragroup.com

Max speed (km/h)	10	Weight of wheelchair with/without batteries (kg)	90/66
Seat width (cm)	45	Height of wheelchair for transport (cm)	64
Seat width between armrests (cm)	49-66	Front wheel size	10"
Seat depth (cm)	45,5	Rear wheel size	10"
Backrest height (cm)	50	Ground clearance (cm)	11
Total height of the wheelchair (cm)	112	Turning radius (cm)	140
Height of armrest from seat upholstery (cm)	19	Range* (km)	37
Height of the upper surface of the seat from the ground (cm)	69	Max user weight (kg)	150
Total width of the wheelchair (cm)	59	Batteries (Ah)	2 x 45
Total length of the wheelchair (cm)	127	Motor (W)	320

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

RIDER II

power wheelchair



catalogue no: **W4025**



PRODUCT CHARACTERISTICS:

- rotary chair horizontal axis adjustment
- backrest tilt angle adjustment
- handlebar angle adjustment
- complete, LED road safety lights
- set of rear-view mirrors
- shopping basket
- seat belt preventing falling out
- headrest
- electromagnetic brake
- front and rear bumper
- clutch for disconnecting the electrical drive
- compact size
- front wheels: 11.5"
- rear wheels: 11.5"

Maximum speed (km/h)	12	Wheelchair weight with/without the batteries (kg)	82/60
Seat width measured on the upholstery (cm)	46	Wheelchair height during transport (cm)	64
Seat width measured between the sides (cm)	52 - 62	Front wheels	11,5"
Seat depth measured on the upholstery (cm)	42	Rear wheels	11,5"
Backrest height (cm)	51	Ground clearance (cm)	11
Total wheelchair height (cm)	108	Turning radius (cm)	124
Armrest height measured from the seat upholstery (cm)	20	Range* (km)	25
Front height of the seat (with the cushion) (cm)	45	Maximum capacity (kg)	120
Total wheelchair width (cm)	62	Batteries (Ah)	2 x 40
Total length of the wheelchair (cm)	127	Motor (W)	400

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

CRUISER II

power wheelchair



catalogue no: **W4028**



PRODUCT CHARACTERISTICS:

- modern design
- rotary chair horizontal axis adjustment
- backrest tilt angle adjustment
- handlebar angle adjustment
- set of rear-view mirrors
- shopping basket
- seat belt preventing falling out
- headrest
- complete, road safety lights
- electromagnetic brake
- clutch for disconnecting the electrical drive
- front and rear bumper
- front wheels: 13"
- rear wheels: 13"
- complete shock absorbing system (4 shock absorbers)

Maximum speed (km/h)	15	Wheelchair weight with/without the batteries (kg)	134/99
Seat width measured on the upholstery (cm)	47	Wheelchair height during transport (cm)	64
Seat width measured between the sides (cm)	49 - 58	Front wheels	13"
Seat depth measured on the upholstery (cm)	43,5	Rear wheels	13"
Backrest height (cm)	50	Turning radius (cm)	11
Total wheelchair height (cm)	112	Range* (km)	165
Armrest height measured from the seat upholstery (cm)	19	Maximum capacity (kg)	30
Front height of the seat (with the cushion) (cm)	53	Batteries (Ah)	140
Total wheelchair width (cm)	64	Motor (W)	2 x 55
Total length of the wheelchair (cm)	148	Ground clearance (cm)	800

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

WAYpower add-on
devicecatalogue no: **DRVKOM****PRODUCT CHARACTERISTICS:**

The picture below is for illustrative purposes only. Way attached to exemplary wheelchair with fixed frame.



Maximum speed (km/h)	7,5
Range (km)	15
Wheel (")	10"
Motor (W)	400
Batteries (Ah)	24V/6,6Ah(lit.)
Weight (kg)	7

* Speed, maximum distance of the vehicle depends on the user weight, tire pressure, battery load, battery capacity and the terrain on which the vehicle is used. The estimated range refers to laboratory conditions.

INTENDED USE:**Limber, Modern, De Luxe, De Luxe Lift, Way**

A powered wheelchair electric is a quality of life device designed to ensure mobility.

Blu, Orange

The product is intended for disabled people with musculoskeletal conditions to increase their mobility. Designed for people with paralysis and paresis, amputees, people with stiff lower limbs and those who periodically need to use a wheelchair.

Scrubby

For indoor and outdoor use for children and people with short stature.

Multiplus

The product is intended for disabled people with motor conditions to increase their mobility, when: • limited or no muscle strength • limited range of movement • limited trunk and body stability • other neurological disorders requiring support.

W4O26 Mini

An electrically powered wheelchair is a quality of life device designed to improve mobility.

Mini II, Mini III

The product is intended for disabled people with musculoskeletal conditions to increase their mobility.

Clever Trip

An electrically powered wheelchair is a quality of life device designed to improve mobility.

Rider II, Criuser II

A powered wheelchair electric is a quality of life device designed to ensure mobility.



VERTICALIZING SYSTEM

 **MDH**[®]
Part of MEYRA GROUP

SAMSON

transport lifting device



catalogue no: **DRVFO2**



Carrier with head
stabilization



PRODUCT CHARACTERISTICS:

- steering U-shaped handlebar
- frame with epoxy powder coating
- very easy assembly
- electric steering
- steering unit provided with emergency button
- provided with safety quick-lowering system to lower the patient in a safe way in case of battery discharge
- actuators made by certified manufacturer
- swivel front wheels
- lockable rear wheels
- adjustable base leg width
- additional equipment: wide range of user-friendly carriers, which ensure correct back stabilization: carrier with head stabilization for everyday use, carrier with head stabilization for bathing

Length (cm)	120
Width (cm)	65,5
Leg gate (cm)	76,5
Height (cm)	113
Lift range (cm)	55 - 168
Lift speed (cm)	3,1
Front wheels diameter (cm)	7,5
Rear wheels diameter (cm)	10
Maximum capacity (kg)	180

DAWID

transport lifting
device



catalogue no: **DRVF123AL1XXP**



PRODUCT CHARACTERISTICS:

- frame made of high quality steel with powder coating finish
- very easy assembly
- electric steering via controller
- steering unit provided with emergency button
- lifting device provided with safety lowering system to mechanically lower the patient in case of battery discharge
- actuators and batteries made by certified manufacturers
- swivel front wheels
- lockable rear wheels
- device base width adjustment
- simple folding system, no tools required
- compact structure and size
- carrier with head stabilization for everyday use

Length (cm)	103,5
Width (cm)	53,5 - 84
Handle height (cm)	123
Lifting height (cm)	77-183
Wheel height (cm)	11,5
Power supply	DC 24V 8000 N
Charger	24V-1A
Battery	DC 24V 5Ah

Charging time (h)	5
Front wheels diameter (cm)	7,5
Rear wheels diameter (cm)	10
Maximum capacity (kg)	150
Weight (kg)	40
Total weight of the lift with packaging (kg)	46

TYTAN 2.0

Dual function lift



catalogue no: **DRVF15**



Standard
carrier



Bath
carrier

PRODUCT CHARACTERISTICS:

- has two functions:
 - patient lifting and lowering (lift)
 - uprighting assistance
- convenient U-shaped transport handle
- very easy folding and unfolding
- electric control by wired remote control
- control panel with emergency stop system and possibility of operation without remote control
- equipped with a manual lowering safety system allowing for safe, mechanical lowering of the patient in the event of battery discharge
- actuator from a certified manufacturer
- possibility of detaching the arms: lifting and verticalising
- front swivel wheels
- rear swivel wheels equipped with brake
- adjustable width of base arms
- adjustable knee support
- removable footplate
- standing belt included
- wide range of comfortable slings (to choose from) to ensure proper back stabilisation:
 - with head stabilisation for everyday use
 - carrier with head stabilisation for bathing

Length (cm)	105	Lifting speed (mm/s)	8,3
Folded arm width (cm)	66,5	Height of the base arms (cm)	11,5
Width of spread arms (cm)	88,5	Diameter of front wheels (cm)	7,5
Height (cm)	132	Diameter of rear wheels (cm)	10
Lifting range (cm)	87 - 175	Approximate number of lifting and lowering cycles	60 - 80 cycles
Uprighting range (cm)	102 - 165	Maximum load (kg)	135

KANJO

bath tub
lifter



PRODUCT CHARACTERISTICS:

- only 1-hour charging time thanks to lithium ion manganese batteries placed in a lightweight controller
- easy assembly and disassembly into 5 parts (no additional tools required)
- removable electric parts to facilitate cleaning
- stable seat thanks to well shaped surface
- seat surface made of plastic to prevent slipping down
- easy-to-clean silver-ion antimicrobial plastic
- optional blue bacteriostatic and anti-slipping overlays
- color: white



anti-skidding
handles



Via

Lenght (cm)	72,1	Backrest adjustment	40°
Seat width without side flaps (cm)	37,5	Total weight (kg)	140
Seat width with side flap (cm)	71	Backrest weight (kg)	11,9
Backrest height (cm)	68	Seat weight (kg)	3,7
Backrest width (cm)	33	Base weight (kg)	6,8
Minimum seat height (cm)	6,5	Hand control weight (kg)	2,2
Maximum seat height (cm)	42		

PSL PRO

parapodium



model: **STATIC**, version: **PSL PRO**



PRODUCT CHARACTERISTICS:

- made of light, robust profiles (steel, aluminium)
- large adjustment range in height, width and depth for maximum user adaptation
- individual adjustment of the device to maintain a correct standing position
- designed for people between 150 and 185 cm tall
- foldable design for easy storage and transport
- all adjustments do not require tools (thumb screws)
- upper part of the parapodium (so-called waistcoat) padded with skin-friendly upholstery
- vest with a double fastening system that prevents it from unfastening on its own
- angle-adjustable hand support
- adjustable knee supports, profiled
- adjustable foot platforms equipped with heels (foot lock) and straps to support the feet on the platforms (stirrups)
- parapodium equipped with 4 wheels with brakes
- cup holder and telephone holder as standard
- optional table

	MIN.	MAX.
Base width (cm)		70
Base length (cm)		101,5
Waistcoat depth* (cm)	30	36
Waistcoat width* (cm)	36,5	47
Height of arm supports* (cm)		52
Height of the device* (cm)	115	140,5
Total weight of the device (kg)		24
Maximum capacity (kg)		100
User height (cm)	150	185

INTENDED USE:

Samson

Samson transport lifting device is designed to carry only one patient at a time. For safety during lifting and transport, patient should be under supervision of trained caregiver. Each time in order to maneuverer should use handle. Thanks to the solutions implemented from the device can be used patients affected: lower limbs paresis, paraplegic including lower limbs, paralysis, amputation, circulatory system insufficiency, reduction in joint mobility and weakening of muscle strength.

Dawid

Dawid mini transport lifting device is designed to carry only one patient at a time. For safety during lifting and transport, patient should be under supervision of trained caregiver. Each time in order to maneuverer should use handle. Thanks to the solutions implemented from the device can be used patients affected: patients with paraplegia - including the lower limbs, patients with paralysis, patients with limb loss, patients with cardiovascular failure, patients with reduced joint mobility and muscle weakness, elderly people requiring specialized home or professional care.

Tytan 2.0

A product to assist in hygiene activities for people with disabilities. The transport lifts described are intended for the transfer of only one patient at a time. The patient should be under the supervision of a trained caregiver when lifting and for safety reasons during transport. A push handle is used to move the lift each time. Lifts can also be used for elderly care.

Kanjo

Significantly reduced function / lack of functional capability in the upper and/or lower extremities, when it is no longer possible for the user to get into and out of a bath tub mainly without assistance, or when sitting up and sitting down is no longer possible. There must still be sufficient torso control and residual functional capability of the extremities. Chronic consequences of illness resulting in functional restrictions in the lower and/or upper extremities that no longer allow bathing without assistance, if however using the bath tub lifter enables bathing largely without assistance and other bathing aids are not sufficient to offset the effects of the disability. uction in joint mobility and weakening of muscle strength.

PSL PRO

The parapodium is designed for people with orthopaedic, neurological and cardiovascular conditions, as well as for people after surgery who are unable to independently assume and maintain a standing position as a result of prolonged immobilisation. In addition to securing and supporting the user in a standing position, the device is a great help during daily activities, but also when learning and practising walking skills. Proper adjustment and fitting the device components depends on medical indications and anatomical parameters, regardless of the age of the user.



ANTI-BEDSORE



Part of MEYRA GROUP

REST

anti-bedsore cushion



catalogue no: **DRVCT**



PRODUCT CHARACTERISTICS:

- innovative, patented solution: combination of memory foam and air chambers. System responsible for proper weight distribution prevents skin irritation, abrasions and bedsores.
- cover made of breathable, perforated and knitted fabric to provide comfortable use and easy maintenance (removable cover)
- anti-slipping insertion to prevent the cushion from sliding down the chair
- adjustable pressure in air chambers to adapt cushion softness and height to the body shape
- pumping and air releasing valve, no need to use a separate pump

Width (cm)	38	40	45
Length (cm)	40	40	40
Height (cm)	8	8	8
Maximum capacity (kg)	150	150	150

COMFY

anti-bedsore cushion



catalogue no: **DRVT**



PRODUCT CHARACTERISTICS:

- cushion made of elastic chambers coupled with each other and filled with air (using a pump)
- cover made of breathable, perforated and knitted fabric to provide comfortable use and easy maintenance (removable cover)
- anti-slipping surface to prevent the cushion from sliding down the chair
- adjustable pressure in air chambers to adapt cushion softness and height to the body shape
- two versions available: cushion with a single valve and coupled chambers, and cushion with two valves and two chamber sections (the air can be filled in different amount at the back and front part of the cushion)

Height (cm)	6	8
	40 x 40/1	40 x 40/1
Width x lenght. / valves	40 x 40/2	40 x 40/2
	46 x 40/1	
Maximum capacity (kg)	130	130

SIMPLY BUBBLE

anti-bedsore alternating pressure
mattress including compressor



catalogue no: **VCM202B**

PRODUCT CHARACTERISTICS:

- bubble structure, pressure swing mattress made of PVC
- smooth, manual pressure adjustment, individually adapted according to the patient's weight
- operation cycle: 10 minutes (VCM202B)
- quiet electric pump
- can be placed on standard bed mattress
- color: beige



Length (cm)	200
Width (cm)	90
Height (cm)	7
Weight (kg)	2,2
Weight of pressure pump (kg)	1
Maximum capacity (kg)	120

ANTI BEDSORE

alternating pressure bubble mattress
including compressor



catalogue no: **VCM202 / VCM202D**

PRODUCT CHARACTERISTICS:

- bubble structure, pressure swing mattress made of PVC
- smooth, manual pressure adjustment, individually adapted according to the patient's weight
- operation cycle: 10-12 minutes
- can be placed on standard bed mattress
- repair kit provided
- color: beige



Length (cm)	195	Cycle time	10 - 12
Width (cm)	90	Weight (kg)	2
Height (cm)	7	Weight of pressure pump (kg)	1,1
Power supply	220-230 V/50 HZ	Maximum capacity (kg)	120

BUBBLE MASTER

anti-bedsore alternating pressure
bubble mattress including compressor



catalogue no: **VCM202G**

**TEMPORARILY
UNAVAILABLE**

PRODUCT CHARACTERISTICS:

- pneumatic, alternating pressure, anti-bedsore mattress
- bubble structure made of PVC, can be stably mounted on the elastic sanitary bed protection
- smooth, manual pressure adjustment, individually adapted according to the patient's weight
- modern, quiet electric pump
- thanks to the mattress structure based on separate air chambers, patient's weight is evenly distributed, the mattress
- provides correct ventilation, great insulation properties guarantee temperature comfort
- operation cycle: 10-15 minutes
- can be placed on standard bed mattress
- repair kit provided
- color: beige



Length (cm)	195	Air output	8l/min
Width (cm)	90	Weight (kg)	2
Height (cm)	6,5	Weight of pressure pump (kg)	1,4
Power supply	220-230 V/50 HZ	Maximum capacity (kg)	140
Cycle time	10 - 15		

TUBE LIGHT

anti-bedsore alternating pressure mattress
of tubular structure including compressor



catalogue no: **VCM502F**

PRODUCT CHARACTERISTICS:

- tube structure, alternating pressure, anti-bedsore mattress
- smooth manual pressure adjustment, individually adapted according to the patient's weight
- operation cycle: 6 minutes
- can be placed on standard bed mattresses
- 1 extra chamber
- rapid deflation valve
- repair kit
- cover



Length (cm)	190	Air output	6-7 l/min
Width (cm)	85	Weight (kg)	4
Height (cm)	11,5	Weight of pressure pump (kg)	1
Cycle time	6	Maximum capacity (kg)	140

ANTI BEDSORE MATTRESS

alternating pressure
mattress of tubular structure



catalogue no: **VCM502**



PRODUCT CHARACTERISTICS:

- alternating pressure, anti-bedsore mattress, with the highest number of chambers, made of PVC
- smooth manual pressure adjustment, individually adapted according to the patient's weight
- operation cycle: 10 minutes
- quiet electric pump
- can be placed on standard bed mattresses
- 1 extra chamber
- cover
- color: dark blue

Length (cm)
Width (cm)
Height (cm)
Cycle time

190
85
11
10 - 12

Air output
Weight (kg)
Weight of pressure pump (kg)
Maximum capacity (kg)

4,5 l/min.
3,4
1,3
140

INTENDED USE:**Rest, Comfy**

The cushion prevents skin abrasions caused by sitting for long periods, relieves lumbar spine, provides proper pelvic position which prevents pain related to lumbar spine overloading.

Anti-bedsores mattresses

Prevention and support of bedsores treatment.

REHABILITATION AND CARE BED

CAREBED

Rehabilitation and care bed model: Smart



model: **Smart**



PRODUCT CHARACTERISTICS:

- durable steel frame easy to assemble and disassemble
- 125 mm diameter wheels with brakes for patient transport
- aesthetically bed finishing in light wood colour
- 4-part, foldable metal bed frame
- stable, 3-position adjustable metal side safety rails
- height adjustment from 39 to 80 cm
- headrest angle adjustment from 0° to 70°
- Anti-Trendelenburg/Trendelenburg* function from 0°-12°
- precise and durable actuators controlling 3 sections with a force of 2x6500 N
- lift cylinders for the bed base, with a force of 3000 N
- 10-function controller
- optional equipment: extension arm I-R, extension arm II-S, safety rail, table - mobile with wheels

Maximum weight of the patient (kg)	135	Sleep surface (mattress dimensions) (cm)	200x90
Safe working load (mattress+ patient+accessories) (kg)	180	Trendelenburga / Anty -Trendelenburga position	12°
Total bed length (cm)	212	Maximum thrust of section actuators	6500N
Total width of bed (cm)	103	Maximum thrust of bed base lifting actuators	3000N
Bed height adjustment with actuators (cm)	39 - 80	Overall weight of the bed (kg)	91
Maximum tilt angle of back section	70°	Input voltage (supply to the control unit)	AC 100-240V (50/60 Hz)
Maximum tilt angle of the leg section	35°	Output voltage (actuator supply)	DC 24 V
Maximum lift height of leg section from base (cm)	21		

CAREBED

Rehabilitation and care bed model: Premium



model: **Premium**




PRODUCT CHARACTERISTICS:

- durable steel frame easy to assemble and disassemble
- 125 mm diameter wheels with brakes for patient transport
- covered bed tops aesthetically bed finishing in light wood colour
- 4-part, foldable metal bed frame
- stable, 3-position adjustable metal side safety rails
- height adjustment from 39 to 80 cm
- headrest angle adjustment from 0° to 70°
- Anti-Trendelenburg/Trendelenburg* function from 0°-12°
- precise and durable actuators controlling 3 sections with a force of 2x6500 N
- lift cylinders for the bed base, with a force of 3000 N
- 10-function controller
- optional equipment: extension arm I-R, extension arm II-S, safety rail, table - mobile with wheels

Maximum weight of the patient (kg)	135	Sleep surface (mattress dimensions) (cm)	200x90
Safe working load (mattress+ patient+accessories) (kg)	180	Trendelenburga / Anty -Trendelenburga position	12°
Total bed length (cm)	215	Maximum thrust of section actuators	6500N
Total width of bed (cm)	102	Maximum thrust of bed base lifting actuators	3000N
Bed height adjustment with actuators (cm)	39 - 80	Overall weight of the bed (kg)	98
Maximum tilt angle of back section	70°	Input voltage (supply to the control unit)	AC 100-240V (50/60 Hz)
Maximum tilt angle of the leg section	35°	Output voltage (actuator supply)	DC 24 V
Maximum lift height of leg section from base (cm)	21		

OPTIONAL EQUIPMENT



Safety
rail



Table - mobile
with wheels



Extension arm I-R



Extension arm II-S

INTENDED USE:

The CAREBED medical device is used for home care and is intended for use as a bed. The product is intended to be used in private homes, healthcare homes and hospitals.

1. People with mobility difficulties who need support and stability when lying down.
2. Post-surgical patients who need an adjustable bed to improve comfort and support during recovery.
3. People with neurological, rheumatic or cardiac diseases who require prolonged lying in bed.
4. Patients in advanced stages of terminal illness who need a specialized bed for palliative care. People undergoing rehabilitation at home who need a bed with height and angle adjustment to support the healing process.

The device is intended to come into contact with the undamaged skin of the user (patient) and has been tested in accordance with the relevant compliance standards, including: ISO 10993-1:2018, EN ISO 10993-5:2009 i EN ISO 10993-10:2013.

The medical bed also meets the requirements of the standards:EN60601-2-52:2010+A1:2015, EN60601-1-2:2015+A1:2021.135



SANITARY AID



COMMODE WHEELCHAIR



catalogue no: **VCWK2**



PRODUCT CHARACTERISTICS:

- steel frame with paint finish
- foldable, easy to transport
- black soft seat
- seat height allows to easily position patient over the toilet
- removable and tiltable footrest
- removable backrest
- tiltable armrests
- four PU wheels with diameter of 12,5 cm
- rear wheels with brakes
- sanitary bucket

Seat width (cm)	43
Wheelchair width (cm)	53
Wheelchair length (cm)	88
Wheelchair height (cm)	93
Wheelchair weight (kg)	11,2
Maximum capacity (kg)	110

TRUST

standard wheelchair with toilet function



catalogue no: **VCWK4T**



PRODUCT CHARACTERISTICS:

- foldable, steel frame (double cross construction)
- soft seat and backrest made of eco leather
- segmented seat with removable element, which enables to get sanitary hole
- removable armrest
- removable and tiltable armrest with adjustable length
- steel brakes with pressure adjustment
- sanitary bucket mounted under the seat
- varnished steel handrims
- pneumatic 24" rear wheels
- maintenance-free front full wheels

Seat width (cm)	45
Seat depth (cm)	41
Wheelchair height (cm)	90
Wheelchair width (cm)	67
Wheelchair length (cm)	110
Width of folded wheelchair (cm)	32
Wheelchair weight (kg)	20
Max capacity (kg)	110

BATH BENCH



catalogue no: **DRVW048**



PRODUCT CHARACTERISTICS:

- bath bench made of plastic
- handlebar facilitating use of the bench
- outflow holes
- legs spacing smooth adjustment

Adjustment of leg stops width	41 - 63
Maximum capacity (kg)	100

BATH BENCH



catalogue no: **DRVW042**



PRODUCT CHARACTERISTICS:

- aluminum frame
- seat made of easily washable plastic
- outflow holes
- handles spacing gradual adjustment

Adjustment of handles spacing (cm)	62 - 70
Maximum capacity (kg)	100

SMALL SHOWER STOOL



catalogue no: **VCTPOO11**



PRODUCT CHARACTERISTICS:

- aluminium structure
- seat made of easily washable polyurethane with handles
- outflow holes
- gradual height adjustment every 2.5 cm

Height (cm)	35 - 54
Width (cm)	49
Depth (cm)	29
Weight (kg)	1,8
Maximum capacity (kg)	100

SMALL SHOWER STOOL



catalogue no: **VCTPOO11**



PRODUCT CHARACTERISTICS:

- aluminium structure
- seat made of easily washable polyurethane
- gradual height adjustment every 2.5 cm

Height (cm)	36 - 54
Width (cm)	40
Weight (kg)	1,5
Maximum capacity (kg)	100

SHOWER SEAT



catalogue no: **VCTPOO21**



PRODUCT CHARACTERISTICS:

- aluminium structure
- seat and backrest made of easily washable polyurethane
- handles for easy use
- outflow holes
- gradual height adjustment every 2.5 cm

Seat height (cm)	45 - 56
Seat width (cm))	51
Depth (cm)	29
Weight (kg)	2,95
Maximum capacity (kg)	100

COMMODE CHAIR



catalogue no: **DRVWO1**



PRODUCT CHARACTERISTICS:

- plastic seat
- steel structure
- soft armrests
- gradual height adjustment
- 5L bucket with a cover
- toilet seat with a cover

Height (cm)	64 - 79
Width (cm)	56
Lenght (cm)	53
Seat width (cm)	46
Seat depth (cm)	45
Weight (kg)	7
Maximum capacity (kg)	110

RAISED TOILET SEAT



catalogue no: **VCTPO031_05-6** without cover
catalogue no: **VCTPO031_05-K6** with cover



PRODUCT CHARACTERISTICS:

- made of contoured material with a coating that is
- easy to clean and disinfect
- easy and stable modern fixing system
- suitable for most toilets
- adjustable side clamps ensure a stable position of the overlay
- front part appropriate notch profile
- available in two version: with and without cover

Model	VCTPO031_05-6	VCTPO031_05-K6
Length (cm)	39	39
Width (cm)	35	35
Height (cm)	12	12
Hole dimensions (cm)	22 x 29	22 x 29
Maximum capacity (kg)	110	110

INTENDED USE:

Commode wheelchair

Auxiliary equipment facilitating the (raid on the toilet seat) or replacing (container) to use the toilet, to a limited extent for the transport of disabled people indoors.

Trust

General use wheelchair, to use at home and for strolls with toilet function.

Bath bench

The bench facilitates patients transfer from and into the bath. It also facilitates every day toilet activities for people with motor limitations. It also provides a safe position for patient with bending limitations in hips e.g. after the hip endoprosthesis.

Small shower stool

The use of the hygiene procedures using bath or shower with significant limitations of movement of the patient, generally poor condition of the patient, advanced age of the patient. For use by patients who cannot themselves perform actions and hygiene procedures. Stool protects the patient stable position, protects against the risk of falling. Protection against wound infection or dipping during hygiene procedures. Stool can be used in hospital and homecare.

Shower Seat

Professional supporting equipment, simplifying/enabling the patient to shower.

Commode chair

The product is helpful in care of patients forced to stay in bed or using wheelchair. It allows for relieving one's physiological needs in seated position. It helps with patient care. A chair without a bucket can be placed over a toilet bowl.

Raised toilet seat

Support equipment, facilitating - enabling handicapped and elderly persons to use the toilet.



EXERCISERS AND OTHERS

GENESIS

rotor exerciser



model: DRVFO6



PRODUCT CHARACTERISTICS:

- made of steel
- equipped with resistance mechanism
- foldable
- freestanding

Height (cm)	38
Width (cm)	38,5
Length (cm)	46,5
Weight (kg)	2,4
Maximum device load (kg)	50

GENESIS PLUS

rotor exerciser



model: DRVFO6



PRODUCT CHARACTERISTICS:

- made of steel
- equipped with resistance mechanism
- foldable
- freestanding
- equipped with calories counter

Height (cm)	38
Width (cm)	38,5
Length (cm)	46,5
Weight (kg)	2,4

BACK SUPPORT



model: **DRVFO1**



PRODUCT CHARACTERISTICS:

- made of durable aluminum frame secured with non-toxic varnish coating
- simple adjustment system enables five different height configurations of the back support
- made of easy to clean material

Width (cm)

62

INTENDED USE:

Genesis, Genesis Plus

Rehabilitation and recreation, recommended for upper and lower limbs paralysis and orthopaedic diseases. Exercises with use of the exerciser allow to form the muscle power, improve blood circulation within limbs, stimulate nervous system and improve the joint range of motion. Especially recommended for exercises during paralyzes of lower limb peripheral nerves and for those who have experienced the cerebral stroke or other neurological dysfunction. The possibility of applying the exerciser at hospitals as well as in household conditions.

Back support

The back rest simplifies all the hygiene and care tasks (e.g. feeding) that are being carried out for laying patients. It enables for easy retaining of half-sitting position which guarantees passive orthostatic position of a patient – thus it eliminates consequences of prolonged immobilization, enhances comfort and wellbeing of a patient.

MANUFACTURER



Kanjo



mdh sp. z o.o. ul. Maratońska 104, 94-007 Łódź



Erwin Kowsky GmbH & Co.KG, Oderstraße 73, 24539 Neumünster, Niemcy

Eureha GmbH Rehabilitationstechnik, Zeppelinstrasse 10, D-88353 Kisslegg, Niemcy



mdh Sp.z o.o.  +48 42 674 83 84
ul. Maratońska 104, 94-007 Łódź  mdh.biuro@meyragroup.com

Export  +48 42 674 83 84
department  mdh.export@meyragroup.com

Service  +48 505 490 282
department  mdh.serwis@meyragroup.com

